

Total number of printed pages–8

3 (Sem–5/CBCS) STA HC 1

2021

(Held in 2022)

STATISTICS

(Honours)

Paper : STA–HC–5016

(Stochastic Processes and Queuing Theory)

Full Marks : 60

Time : Three hours

**The figures in the margin indicate
full marks for the questions.**

1. Answer the following as directed:

1×7=7

(a) The mean of X in terms of the probability generating function (p.g.f.) of X is given by

(i) $P''(1)$

(ii) $P'(1)$

(iii) $P'(S)$

(iv) None of the above

(Choose the correct option)

Contd.

- (b) Define stochastic processes.
- (c) An irreducible Markov chain contains
- (i) one closed set
 - (ii) two closed sets
 - (iii) three closed sets
 - (iv) All of the above
- (Choose the correct option)*
- (d) Difference of two independent Poisson processes is also a Poisson process.
- (State True or False)*
- (e) State *one* property of transition probability matrix.
- (f) The average queue size in M/M/1/1 queueing model is
- (i) 1
 - (ii) 0
 - (iii) 2
 - (iv) None of the above
- (Choose the correct option)*
- (g) The interval between two successive occurrences of a Poisson process has an _____ distribution.
- (Fill in the blank)*

2. Answer the following questions briefly :

2×4=8

- (a) Define bivariate probability generating function of a pair of random variables X and Y .
- (b) Define Markov chain with an example.
- (c) State *any two* postulates for Poisson process.
- (d) Define traffic intensity. State the condition for existence of steady state of M/M/1 queuing model with infinite system capacity.

1+1=2

3. Answer **any three** of the following questions :

5×3=15

- (a) Let X be a Poisson variate with p.m.f

$$p_k = P(X = k) = \frac{e^{-\lambda} \lambda^k}{k!}; \quad k = 0, 1, 2, \dots$$

Find the mean and variance of X using probability generating function (p.g.f) of X .

- (b) Write an explanatory note on specification of stochastic processes.

- (c) Derive the probability distribution of number of customers in M/M/1 queuing model with finite system capacity.
- (d) Suppose that the probability of a dry day (state 0) following a rainy day (state 1) is $\frac{1}{3}$ and that the probability of a rainy day following a dry day is $\frac{1}{2}$. Given that May 1 is a dry day, find the probability that May 3 is also a dry day.
- (e) Suppose that customers arrive at a service counter in accordance with a Poisson process with mean rate of 2 per minute ($\lambda = 2/\text{minute}$). Then the interval between any two successive arrivals follow exponential distribution with mean $\frac{1}{\lambda} = \frac{1}{2}$ minute. Find the probability that the interval between two successive arrivals is —
- (i) more than 1 minute;
 - (ii) 4 minutes or less;
 - (iii) between 1 and 2 minutes.

4. Answer **either** (a) or (b) :

(a) (i) Define matrix of transition probabilities. Let $\{X_t, t \geq 0\}$ be a Markov chain with three states 0, 1 and 2 with transition matrix

$$\begin{pmatrix} 3/4 & 1/4 & 0 \\ 1/4 & 1/2 & 1/4 \\ 0 & 3/4 & 1/4 \end{pmatrix}$$

and the initial distribution

$$P\{X_0 = i\} = \frac{1}{3}, \quad i = 0, 1, 2$$

Find $P\{X_1 = 1/X_0 = 2\}$;

$P\{X_2 = 2, X_1 = 1/X_0 = 2\}$ and

$P\{X_2 = 2, X_1 = 1, X_0 = 2\}$.

$$1+1+2+2=6$$

(ii) Write a short note on Markov chain as graphs. 4

- (b) (i) Define an irreducible Markov chain. Prove (or disprove) that the matrix given below is a transition probability matrix of an irreducible Markov chain : 1+5=6

$$\begin{pmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ \frac{1}{2} & \frac{1}{2} & 0 \end{pmatrix}$$

- (ii) Prove the additive property of Poisson process. 4

5. Answer **either** (a) **or** (b) :

(a) The arrivals at a counter in a bank occur in accordance with a Poisson process at an average arrival rate of 8/hour. The duration of service of a customer follows exponential distribution with a mean rate of 6 minutes. Find the following :

- (i) The probability that an arriving customer has to wait.
- (ii) The average number of customers in the queue.
- (iii) The average number of customers in the system.

(iv) The probability that there are two customers in the system.

(v) The average waiting time in the queue.

$$2+2+2+2+2=10$$

(b) (i) Define the following states of Markov chain : $1+1+1+1=4$
Absorbing state, Persistent state, Transient state and Ergodic state

(ii) Given the following transition probability matrix

$$P = \begin{pmatrix} q & p \\ p & q \end{pmatrix} \text{ where } p + q = 1$$

Find the probability of transition from state 0 to state 1 in m steps.

6

6. Answer **either (a) or (b)** :

(a) (i) Differentiate between steady state and transient state of a queuing system. 2

(ii) Define a stationary process. 2

(iii) Write an explanatory note on basic characteristics of a queuing system. 6

(b) (i) Write a detailed note on applications of stochastic processes. 5

(ii) If $\{N(t)\}$ is a Poisson process and $s < t$, then prove that

$$P\{N(s) = k / N(t) = n\} = \binom{n}{k} \left(\frac{s}{t}\right)^k \left(1 - \frac{s}{t}\right)^{n-k}$$

5



Total number of printed pages-7

3 (Sem-5/CBCS) STA HC 2

2021

(Held in 2022)

STATISTICS

(Honours)

Paper : STA-HC-5026

**(Statistical Computing using C/C++
Programming)**

Full Marks : 60

Time : Three hours

**The figures in the margin indicate
full marks for the questions.**

1. Answer the following as directed :

1×7=7

(a) The brain of any computer system is :

(i) ALU

(ii) memory

(iii) CPU

(iv) control unit

(Choose the correct option)

Contd.

- (b) Evaluate $10\% 2$.
- (c) A C-variable cannot start with
- (i) an alphabet
 - (ii) a digit
 - (iii) a special character other than underscore
 - (iv) Both (ii) and (iii)
- (Choose the correct option)*
- (d) The expression $a = 22/7 * 5/3$ would evaluate the value of a as _____ .
- (Fill in the blank)*
- (e) Which of the following escape sequences moves the cursor position to the new line ?
- (i) `\r`
 - (ii) `\n`
 - (iii) `\t`
 - (iv) `\v`
- (Choose the correct option)*
- (f) State whether the following declaration is allowed in C :
- `Char str[3] = "GOOD";`

(g) Array can be considered as a set of elements stored in consecutive memory locations having

(i) different data type

(ii) same data type

(iii) same scope

(iv) None of the above

(Choose the correct option)

2. Answer the following questions briefly :

2×4=8

(a) Differentiate between hardware and software.

(b) Write the output of the following C-programme segment :

```
{  
    int a = 45 ;  
    float b = 3.5 ;  
    a = a + b ;  
    b = a - b ;  
    a = (a + b) / 2 ;  
    b = (a - b) / 2 ;  
    printf ("%d %f", a, b) ;  
}
```

(c) What does the statement
`int A [50];`
represent in C/C++ language ?

(d) Write the following algebraic
expressions in C/C++ :

(i) $3x^2 + 2x + 5$

(ii) $\frac{2by}{d+1} - \frac{2}{3(y+x)}$

3. Answer **any three** questions from the
following : 5×3=15

(a) Draw a flowchart for calculating mean
deviation from mean.

(b) Write a C/C++ program to find
arithmetic mean and harmonic mean
of n observations.

(c) Describe the 'switch' statement.

(d) (i) Write a note on overflow and
underflow of data. 3

- (ii) What will be the output of the following program segment? 2

```
main ()  
{  
    int i = 2, j = 3, k, l;  
    float a, b;  
    k = i/j*j;  
    l = j/i*i;  
    a = i/j*j;  
    b = j/i*i;  
    printf ("%d%d%f%f\n", k, l, a, b);  
}
```

- (e) Write a C/C++ program to determine the transpose of an $n \times n$ matrix A.

4. Answer **either** (a) **or** (b) :

(a) (i) Write briefly on 'C tokens'. 2

(ii) Write a note on 'else-if' ladder. 3

(iii) Write a C/C++ programme to determine the value of $n!$ 5

(b) (i) Evaluate float type variable x such that

$$x = a * b/2 + 3/2 * b + 2 + c$$

assuming $a = 4$, $b = 1$, $c = 3.2$

2

(ii) Describe the 'for loop' briefly.

3

(iii) Write a C/C++ programme to arrange n numbers in ascending order.

5

5. Answer **either** (a) **or** (b) :

(a) (i) What are different relational operators available in C? 2

(ii) State the precedence rule of arithmetic operators. 2

(iii) Write a C/C++ programme to find the correlation coefficient of n pairs of observations. 6

(b) (i) What is an algorithm? 1

(ii) Briefly explain the 'do...while' loop. 2

- (iii) Write a programme in C/C++ to obtain an approximate value of the integral $\int_0^2 \frac{e^x}{1+x}$ by using Simpson's $\frac{1}{3}$ rd rule. 7

6. Answer **either** (a) **or** (b) :

- (a) (i) Elaborate on increment and decrement operators. 2
- (ii) Describe the procedure of initialization of one-dimensional array. 2
- (iii) Write a C/C++ programme to find the variance and coefficient of variation of n observations. 6
- (b) (i) Write an explanatory note on 'for' loop. 3
- (ii) Write a C/C++ programme to find an approximate solution of the equation $\frac{1}{x} - e^{-x} = 0$ using Newton-Raphson method. 7